

RETAIL VISUAL GUIDE



#### NON DISCLOSURE

You acknowledge that the Presentation ("Presentation") confidential contains information ("Confidential Information") of Bevite, Inc. ("Company") and its affiliates ("Affiliates"), and collectively, the Parties ("Parties"), and is protected by domestic and international copyright laws, patents, and trademarks. You agree not disclose to any third party, and safeguard the Confidential Information contained herein using the same degree of care as your own proprietary information of like importance, and with no less reasonable care. You agree to notify your agents, contractors, and employees who may have access to the Presentation contained herein of such confidentiality and to ensure their compliance pursuant to its restriction on use.

## RESTRICTIONS ON USE

You acknowledge that the Presentation ("Presentation") contains proprietary information of Bevite, Inc. ("Company") and its affiliates ("Affiliates"), and collectively, the Parties ("Parties"), and is protected by domestic and international copyright laws, patents, and trademarks. The Parties retain all ownership and proprietary rights in and to the Presentation, including any copies made by you. You have agree that you will not nor will you assist or authorize others to: (a) disassemble, decompile, reverse engineer or otherwise attempt to discern any portion of this Presentation. (b) alter, enhance, improve or otherwise modify its contents, (c) use the Presentation whereby third parties other than you can benefit from the use of the Presentation, (d) copy the content provided with the Presentation, and if any. (e) assign, distribute, or otherwise transfer the Presentation.



GUIDE	02
SIGNAGE STORES Exterior Interior	03 04
EQUIPMENT CAPS SHIRTS HELMETS CONTAINER	05 06 07 08
PACKAGE BAGS TAGS	09 10
DECAL VEHICLES	11

# DISCLAIMER

Guidelines represent brand direction, product materials such as fabrication can be substituted based on availability.





### PRIMARY COLOR (OFFLINE)

Color: Black

PANTONE Process Black C CMYK OC 0M 0Y 100K RGB 35R 31G 32B HEX 000000



### **SECONDARY COLOR (ONLINE)**

Color: Honey

PANTONE Coated DS 18-2 CMYK 0C 30M 100Y 0K RGB 253R 185G 19B HEX FDB913



### TERTIARY COLOR (OUTDOOR)

• Color: White

PANTONE Opaque White CMYK OC OM OY OK RGB 255R 255G 255B

HEX FFFFF



### **POSITIONING**

The logo/mark is centered to the letter G, as shown by the blue line.



#### **SPACING**

The logo/mark has a buffer equivalent to the height of the logo.



#### REPRESENTING

The logo/mark has a trademark symbol on printed materials only.



## **MAIN (AWNING)**

Black matte metal (not shiny) with logo/mark placed in white opaque plexi, illuminated by light.

## OTHER (DOORS)


Black matte vinyl (sticker) placed inside of glass doors.

• Logo Size: 5.0in wide (13.0cm)

• Logo Position: Center 52.0in (132.0cm)

### **EXAMPLE**

**Exterior** 







## **MAIN (COUNTERS)**

Black matte metal (not shiny) with logo/mark placed in white vinyl (sticker) in the center.

## **OTHER (DISPLAYS)**

All other spaces are reserved for additional signage.

## **EXAMPLE**

Interior





### **CAPS**

Universal Black Cap

- Matte Construction
- Adjustable 5 Crown Panels
- Cotton Sweatband
- Strap with Velcro Closure
- Curved Visor
- Sewn Eyelets
- 100% Polyester

### **FRONT**

White Logo-Mark

• Logo Size (Front): 2.0in wide (5.0cm)

• Logo Position (Front): Centered

## **EXAMPLE**

Caps







### **SHIRTS**

**Universal Black Shirt** 

- Matte Construction
- Short-Sleeve Stretch Tee Fit (Medium)
- Shoulder-to-Shoulder Taping
- 80% Cotton/20% Polyester
- Performance Blend

### **FRONT**

White Logo-Mark

Logo Size (Front): 4.0in (10.0cm)
Logo Size (Back): 4.0in (10.0cm)
Logo Position: Centered

(Front-Back)

## **BACK (DRIVERS ONLY)**

Number centered in honey color.

• Size: 4.0in tall (10.0cm)

• Font: Arial

#### **EXAMPLE**

**Shirts** 





#### **HELMETS**

**Universal Black Helmet** 

- In-Mold Construction
- Dial-Adjust Fit System (54.0 61.0 cm)
- Shatterproof Polycarbonate Lenses
- Removable Interior Padding
- 10 Integrated LED Lights
- Rechargeable Batteries (USB Cable)
- CPSC CE Certified

#### **FRONT-SIDES**

White Logo-Mark


Logo Size (Front): 2.0in (5.0cm)Logo Size (Sides): 2.0in (5.0cm)

• Logo Position: Centered Width of Logo/Mark

(Front-Sides)

### **EXAMPLE**

**Helmets** 





### **CONTAINERS**

**Universal Black Container** 

- Stable Plastic Case Construction
- Scooters, Motorcycles, Mopeds and ATV with Porter
- Theftproof, Waterproof
- Quick Mounting System
- Wider Red Reflector
- 43.0 x 41.0 x 32.0 cm Measurement
- 100% Plastic Polymer Composite

### **BACK-TOP**

White Logo-Mark

• Logo Size (Top): 4.0in wide (10.0cm)

• Logo Position (Top): Centered Width of Logo/Mark

### **EXAMPLE**

**Containers** 





### **BAGS**

Universal Black Bag

- High-Gloss Shiny Construction
- Die-Cut Handle Fit (Large)
- 20.0in x 20.0in x 5.0in Measurement (50.8cm x 50.8cm x 12.7cm)
- 100% Recyclable Polymaterial Composite

### **FRONT**

White Logo-Mark


• Logo Size (Front): 4.0in wide (10.0cm)

• Logo Position (Front): Centered Width of Logo/Mark

### **EXAMPLE**

**Bags** 







### **TAGS**

**Universal NFC Tag** 

- Ntag213 Chipset Construction
- 180 bytes Physical Capacity
- 144 bytes Usable Capacity
- ISO14443A Protocol
- 13.5 MHZ Working Frequency
- 1.0 to 5.0 cm R-W-E Distance
- 1.0 to 2.0 ms R-W-E Response
- -20.0 to 55.0 Degrees, + 90% Humidity Working Temperature
- 25mm Diameter
- 100% PE Self-Adhesive Coated Paper

#### **FRONT**

Black Logo-Mark

- Logo Size (Front): 0.5in wide (1.0cm)
- Logo Position (Front): Centered Width of Logo/Mark

#### **EXAMPLE**

**NFC Tags** 







### **MOTOR VEHICLES**

**Universal Black Motor Vehicle** 

- Aluminum Steel Construction
- 1-Cylinder, Liquid-Cooled, SOHC, 4-Stroke C
- Fuel System: Fuel Injection
- Starter: Electric
- Transmission: Dry Shoe, Automatic, Centrifugal Type
- Power: 9.10kW @ 9000rpm (12.00hp)
- Torque: 10.80N.m @ 6500rpm (8.00lb.ft)

### **SIDES**

White Logo-Mark (Fuel Tank or Equivalent)

- Logo Size (Sides): 5.0in wide (12.0cm)
- Logo Position (Sides): Centered Width of Logo/Mark

### **EXAMPLE**

**Motor Vehicles** 





## **QUESTION?**



RETAIL VISUAL GUIDE